PRODUCT CATALOGUE

Cable laying equipment & road cutting machines



43 PRODUCTS & MODEL VARIANTS

Winches | Pushers & pullers | Drum lifting jacks

Cable rollers | Swivel links | Cable grips | Lubricants

Road cutting machines

OCTOBER 2026

Find your product

Cable Pulling Winches

3H 3

5H 4

10H 5

15H 6

Power Pusher & Cable Puller

1E Power Pusher 7

1P Cable Puller 8

Cable Drum Lifting Jacks

HJ1 Hydraulic Jack 20-50 ton 9

HJ2 Hydraulic Jack 3-20 ton 10

HJ1 Hydraulic Jack 3-10 ton 11

MJ1 Mechanical Jack 12

MJ2 Mechanical Jack 13

MJ3 Mechanical Jack 14

MJ4 Mechanical Jack 15

MJB1 Mechanical Jack 16

MJB2 Mechanical Jack 17

Cable Rollers

NR 18

LDSR 19

HDSR 20

LBSR 21

BPSR 22

HSSR 23

TSR 24

TCR 25

Cable Rollers

BPTCR 26

HSTCR 27

ACR 28

RACR 29

CBR 30

HVR 31

RCR 32

DR 33

SDR 34

VR 35

BMR 36

BGR 37

SR 38

KR 39

MHR 40

Swivel Links

Swivel Link 41

Cable Grips

CG Cable Grip 42

Road Cutting Machines

TITAN FS320H 43

TITAN 400 44

Cable Pulling Lubricant

Cable Pulling Lubricant 45

CABLE PULLING WINCHES

Maverick 3H



TECHNICAL DETAILS

Model	**Maverick 3H**
Family line tension	**Up to 5 ton (3H / 5H family)**

Family image shown. Model-specific line pull, drive power, rope capacity and dimensions: available on enquiry. Family limits are not individual model ratings.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE PULLING WINCHES

Maverick 5H



TECHNICAL DETAILS

Model	**Maverick 5H**
Family line tension	**Up to 5 ton (3H / 5H family)**
Cable and drum weight guidance	**Maximum 18 tonnes***
Cable roller spacing guidance	**2-2.5 m***

Family image shown. Model-specific line pull, drive power, rope capacity and dimensions: available on enquiry. Family limits are not individual model ratings.

* Planning guidance only; subject to cable route, friction and tension calculations. Cable-and-drum weight is not rated line pull.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE PULLING WINCHES

Maverick 10H



TECHNICAL DETAILS

Model	**Maverick 10H**
Family line tension	**Up to 15 ton (10H / 15H family)**
Cable and drum weight guidance	**Maximum 28 tonnes***
Cable roller spacing guidance	**1.5-2 m***

Family image shown. Model-specific line pull, drive power, rope capacity and dimensions: available on enquiry. Family limits are not individual model ratings.

* Planning guidance only; subject to cable route, friction and tension calculations. Cable-and-drum weight is not rated line pull.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE PULLING WINCHES

Maverick 15H



TECHNICAL DETAILS

Model	**Maverick 15H**
Family line tension	**Up to 15 ton (10H / 15H family)**

Family image shown. Model-specific line pull, drive power, rope capacity and dimensions: available on enquiry. Family limits are not individual model ratings.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

POWER PUSHER & CABLE PULLER

Maverick 1E Power Pusher



TECHNICAL DETAILS

Model	**Maverick 1E**
Product type	**Power pusher**

Force, operating speed, motor rating and cable compatibility: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

POWER PUSHER & CABLE PULLER

Maverick 1P Cable Puller



TECHNICAL DETAILS

Model	**Maverick 1P**
Product type	**Cable puller**

Force, operating speed, motor rating and cable compatibility: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE DRUM LIFTING JACKS

HJ1 Hydraulic Jack 20-50 ton



TECHNICAL DETAILS

Model	**HJ1**
Lifting range	**20-50 ton**

FEATURES

- Paired with suitable spindle and locking collar
- Easy to handle and transfer
- Powder coated / paint finish
- Sturdy structure to withstand varying load
- Customization possible on request

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE DRUM LIFTING JACKS

HJ2 Hydraulic Jack 3-20 ton



TECHNICAL DETAILS

Model	**HJ2**
Lifting range	**3-20 ton**

FEATURES

- Paired with suitable spindle and locking collar
- Easy to handle and transfer
- Powder coated / paint finish
- Sturdy structure to withstand varying load
- Customization possible on request

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE DRUM LIFTING JACKS

HJ1 Hydraulic Jack 3-10 ton



TECHNICAL DETAILS

Model	**HJ1**
Lifting capacity	**3-10 ton**

The catalogue also labels this smaller jack HJ1. Confirm the exact variant when ordering.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE DRUM LIFTING JACKS

MJ1 Mechanical Jack



TECHNICAL DETAILS

Model	**MJ1**
Product type	**Mechanical cable drum lifting jack**

Catalogue family lifting capacity: 20-50 ton. A separate rating for this model is not stated; confirm the required model and load rating before ordering.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE DRUM LIFTING JACKS

MJ2 Mechanical Jack



TECHNICAL DETAILS

Model	**MJ2**
Product type	**Mechanical cable drum lifting jack**

Catalogue family lifting capacity: 20-50 ton. A separate rating for this model is not stated; confirm the required model and load rating before ordering.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE DRUM LIFTING JACKS

MJ3 Mechanical Jack



TECHNICAL DETAILS

Model	**MJ3**
Product type	**Mechanical cable drum lifting jack**

Catalogue family lifting capacity: 20-50 ton. A separate rating for this model is not stated; confirm the required model and load rating before ordering.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE DRUM LIFTING JACKS

MJ4 Mechanical Jack



TECHNICAL DETAILS

Model	**MJ4**
Product type	**Mechanical cable drum lifting jack**

Catalogue family lifting capacity: 20-50 ton. A separate rating for this model is not stated; confirm the required model and load rating before ordering.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE DRUM LIFTING JACKS

MJB1 Mechanical Jack



TECHNICAL DETAILS

Model	**MJB1**
Product type	**Mechanical cable drum lifting jack**

Catalogue family lifting capacity: 20-50 ton. A separate rating for this model is not stated; confirm the required model and load rating before ordering.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE DRUM LIFTING JACKS

MJB2 Mechanical Jack



TECHNICAL DETAILS

Model	**MJB2**
Product type	**Mechanical cable drum lifting jack**

Catalogue family lifting capacity: 20-50 ton. A separate rating for this model is not stated; confirm the required model and load rating before ordering.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

NR Cable Roller



TECHNICAL DETAILS

Model code	**NR**
Application	**Straight path in trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

LDSR Cable Roller



TECHNICAL DETAILS

Model code	**LDSR**
Application	**Straight path in trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

HDSR Cable Roller



TECHNICAL DETAILS

Model code	**HDSR**
Application	**Straight path in trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

LBSR Cable Roller



TECHNICAL DETAILS

Model code	**LBSR**
Application	**Straight path in trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

BPSR Cable Roller



TECHNICAL DETAILS

Model code	**BPSR**
Application	**Straight path in trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

HSSR Cable Roller



TECHNICAL DETAILS

Model code	**HSSR**
Application	**Straight path in trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

TSR Cable Roller



TECHNICAL DETAILS

Model code	**TSR**
Application	**Straight path in trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

TCR Cable Roller



TECHNICAL DETAILS

Model code	**TCR**
Application	**Cornered path in trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

BPTCR Cable Roller



TECHNICAL DETAILS

Model code	**BPTCR**
Application	**Cornered path in trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

HSTCR Cable Roller



TECHNICAL DETAILS

Model code	**HSTCR**
Application	**Cornered path in trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

ACR Cable Roller



TECHNICAL DETAILS

Model code	**ACR**
Application	**Cornered path in trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

RACR Cable Roller



TECHNICAL DETAILS

Model code	**RACR**
Application	**Cornered path in trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

CBR Cable Roller



TECHNICAL DETAILS

Model code	**CBR**
Application	**Radial path in trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

HVR Cable Roller



TECHNICAL DETAILS

Model code	**HVR**
Application	**Radial path in trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

RCR Cable Roller



TECHNICAL DETAILS

Model code	**RCR**
Application	**Radial path in trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

DR Cable Roller



TECHNICAL DETAILS

Model code	**DR**
Application	**Various sections of trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

SDR Cable Roller



TECHNICAL DETAILS

Model code	**SDR**
Application	**Various sections of trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

VR Cable Roller



TECHNICAL DETAILS

Model code	**VR**
Application	**Various sections of trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

BMR Cable Roller



TECHNICAL DETAILS

Model code	**BMR**
Application	**Various sections of trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

BGR Cable Roller



TECHNICAL DETAILS

Model code	**BGR**
Application	**Various sections of trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

SR Cable Roller



TECHNICAL DETAILS

Model code	**SR**
Application	**Various sections of trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

KR Cable Roller



TECHNICAL DETAILS

Model code	**KR**
Application	**Various sections of trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE ROLLERS

MHR Cable Roller



TECHNICAL DETAILS

Model code	**MHR**
Application	**Various sections of trench**

Dimensions, working load, roller material and cable diameter limits: available on enquiry.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

SWIVEL LINKS

Swivel Link



TECHNICAL DETAILS

Available range	**3-20 ton**
Material	**High-strength steel**
Safety factor	**1.5x**

FEATURES

- Maintenance-free design
- Swivel bearing
- Helps reduce line tension
- Anti-twisting technology
- Adaptable to customized features
- Pre-lubricated bearings

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE GRIPS

CG Cable Grip



TECHNICAL DETAILS

Model code	**CG**
Cable laying projects	**Up to 400 kV**
Cable diameter capacity	**Up to 220 mm**
Finish	**Galvanized**
Safety factor	**1.5x**

FEATURES

- Firm grip
- Adaptable to customized features

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

ROAD CUTTING MACHINES

TITAN FS320H



TECHNICAL DETAILS

Model	**FS320H**
Cutting depth	**300 mm**

FEATURES

- Compact design
- Hydraulic system
- Smooth cutting-depth adjustment
- Suitable for indoor use
- Reverse and forward direction cutting

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

ROAD CUTTING MACHINES

Maverick TITAN 400



TECHNICAL DETAILS

Model	**TITAN 400**
Drive shown	**Electric motor**
Motor orientation shown	**Horizontal**

FEATURES

- Wheeled frame
- Guarded blade and belt assemblies

Motor power, voltage, blade diameter, cutting depth, speed and weight: available on enquiry for TITAN 400.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

CABLE PULLING LUBRICANT

Cable Pulling Lubricant



TECHNICAL DETAILS

Application	**Cable laying in ducts**
Flammability	**Non-flammable**

FEATURES

- Helps reduce line tension
- Long-lasting lubricating property
- On-site consultation

Pack size, composition, coverage and cable compatibility: available on enquiry. Request product data and safety sheets.

REQUEST A QUOTATION +91 79771 18069 | mavericktechnosys@gmail.com

Discuss your next project

Product selection & quotations

Phone: +91 79771 18069

Email: mavericktechnosys@gmail.com

Website: mavericktechnosys.com

Plot No PAP / A-179 & 186, TTC Industrial Area, Mahape, MIDC, Navi Mumbai, Maharashtra 400710

For a project-specific recommendation, share:

- Product or model required and quantity
- Cable diameter, weight and installation route
- Required pulling or lifting capacity
- Available power supply and site conditions
- Delivery location and required schedule

Selection notes

Specifications are compiled from the supplied product documentation. Some images have digitally updated branding. Model-family photographs are representative. Confirm the exact configuration, working load, dimensions and compatibility with the quotation before ordering. Details not published are available on enquiry.